



Risk Assessments

MOBILE EQUIPMENT 2018-2019



RISK ASSESSMENTS: MOBILE EQUIPMENT

The Warehouse Climbing Centre - Mobile

RISK ASSESSMENT SCALES

The following Risk Assessments are scored on the scales as listed below.

PROBABILITY:

- 5 - Almost Certain
- 4 - Likely
- 3 - Fair
- 2 - Unlikely
- 1 - Remote

SEVERITY:

- 5 - Risk of Death
- 4 - Severe (eg. fracture, break, overnight stay in hospital)
- 3 - Moderate (eg. strain, sprain)
- 2 - Minor (small cut, abrasion)
- 1 - Trivial (eg. discomfort, slight bruising)

FREQUENCY:

- Constant (daily interactions with hazard)
- Very Frequent (weekly interactions with hazard)
- Frequent (monthly interactions with hazard)
- Infrequent (annual interactions with hazard)
- Rare (less than annual interactions with hazard)

SCORING BANDS:

- 15 - 25 High Priority action
- 6 - 12 Medium Priority action
- 2 - 5 Low Priority action
- 0 - 1 No further action

Assessor/Reviewer Name	Job Title	Signature	Date	Review Date
Simon Baldwin	Site Director		01/01/ 2019	01/01/2020

RISK ASSESSMENTS: MOBILE EQUIPMENT

The Warehouse Climbing Centre - Mobile



Reason for Assessment	Area(s) Assessed	Assessment No.
Reassessment	Cave / Walls / DigiWall	1

Hazard Description

Fire

Hazard Category(ies)

Risk Groups

Trapped Burns Slips, trips and falls	Employees & Customers
--	-----------------------

Risk Assessment (without control measures)

Frequency Constant	Severity 5- Risk of Death	Probability 3 - Fair	Initial Risk Rating 15 - High Priority action
------------------------------	-------------------------------------	--------------------------------	---

Existing Controls

<p>The mobile cave has several exits, staff are trained to evacuate those in the cave Staff are trained to talk down and unclip those on the wall After ensuring there are no members of public in/on the equipment staff will progress immediately to the designated venue assembly point Evacuation procedures are practiced at training sessions with the cave staff and mobile activity staff.</p>

Further Controls

Deadline

--	--

Risk Assessment (taking control measures into account)

Frequency Constant	Severity 5 - Risk of Death	Probability 1 - Remote	Residual Risk Rating 5 - Low Priority action
------------------------------	--------------------------------------	----------------------------------	--

Notes

--

Assessor/Reviewer Name	Job Title	Signature	Date	Review Date
Simon Baldwin	Site Director		01/01/ 2019	01/01/2020



RISK ASSESSMENTS: MOBILE EQUIPMENT

The Warehouse Climbing Centre - Mobile

Reason for Assessment	Area(s) Assessed	Assessment No.
Reassessment	Cave	2

Hazard Description

Slips, trips and falls from emergency exits from the cave

Hazard Category(ies)

Slips, trips and falls

Risk Groups

Employees & Customers

Risk Assessment (without control measures)

Frequency	Severity	Probability	Initial Risk Rating
Constant	2 - Minor	4 - Likely	8 - Medium Priority action

Existing Controls

Extra exits are bolted to prevent accidental opening from the inside
A step ladder is used to assist egress from the higher level exit
Staff are trained to only utilise the higher level when it is assessed as the best option
Crash mats are used as required

Further Controls

Deadline

Further Controls	Deadline

Risk Assessment (taking control measures into account)

Frequency	Severity	Probability	Residual Risk Rating
Constant	2 - Minor	2 - Unlikely	4 - Low Priority action

Notes

--

Assessor/Reviewer Name	Job Title	Signature	Date	Review Date
Simon Baldwin	Site Director		01/01/ 2019	01/01/2020

RISK ASSESSMENTS: MOBILE EQUIPMENT

The Warehouse Climbing Centre - Mobile



Reason for Assessment	Area(s) Assessed	Assessment No.
Reassessment	Cave	3

Hazard Description

Impact injuries to head

Hazard Category(ies)

Risk Groups

Head injuries	Employees & Customers
---------------	-----------------------

Risk Assessment (without control measures)

Frequency Constant	Severity 3- Moderate	Probability 3- Fair	Initial Risk Rating 9- Medium Priority action
-----------------------	-------------------------	------------------------	--

Existing Controls

Helmets are issued to all users and trained staff ensure they are fitted correctly and are worn properly The only reason for the removal of a helmet is to aid if needed in an emergency situation

Further Controls

Deadline

--	--

Risk Assessment (taking control measures into account)

Frequency Constant	Severity 1 - Trivial	Probability 4 - Likely	Residual Risk Rating 4 - Low Priority action
-----------------------	-------------------------	---------------------------	---

Notes

--

Assessor/Reviewer Name	Job Title	Signature	Date	Review Date
Simon Baldwin	Site Director		01/01/ 2019	01/01/2020

RISK ASSESSMENTS: MOBILE EQUIPMENT

The Warehouse Climbing Centre - Mobile



Reason for Assessment	Area(s) Assessed	Assessment No.
Reassessment	Cave	4

Hazard Description

Overheating within enclosed space

Hazard Category(ies)

Risk Groups

Fainting	Employees & Customers
----------	-----------------------

Risk Assessment (without control measures)

Frequency Constant	Severity 2 - Minor	Probability 4 - Likely	Initial Risk Rating 8 - Medium Priority action
------------------------------	------------------------------	----------------------------------	--

Existing Controls

<p>There is a extractor vent on the upper level at the back of the Mobile Cave Air flow is checked by instructors and an emergency exit is be opened to allow more air flow if needed Clothing is checked and advice is given for the correct level of clothing for the activity. Cave sessions are only run when the cave is within the temperature range specified within the operating procedures.</p>
--

Further Controls

Deadline

--	--

Risk Assessment (taking control measures into account)

Frequency Constant	Severity 2 - Minor	Probability 2 - Unlikely	Residual Risk Rating 4 - Low Priority action
------------------------------	------------------------------	------------------------------------	--

Notes

--

Assessor/Reviewer Name	Job Title	Signature	Date	Review Date
Simon Baldwin	Site Director		01/01/ 2019	01/01/2020

RISK ASSESSMENTS: MOBILE EQUIPMENT
The Warehouse Climbing Centre - Mobile



Reason for Assessment	Area(s) Assessed	Assessment No.
Reassessment	Cave / Walls	5

Hazard Description

Panic attacks, fear of small spaces and getting stuck, freezing and fear of climbing down

Hazard Category(ies)	Risk Groups
Stress Panic	Customers

Risk Assessment (without control measures)

Frequency	Severity	Probability	Initial Risk Rating
Constant	2 - Minor	4 - Likely	8 - Medium Priority action

Existing Controls

A safety briefing takes place at the start of the activity.
 Staff are trained to assist people through the cave.
 Staff are trained to show people the nearest exit in the cave.
 Where people cannot be talked down the wall or out of the cave staff will follow the applicable rescue procedure.

Further Controls	Deadline

Risk Assessment (taking control measures into account)

Frequency	Severity	Probability	Residual Risk Rating
Constant	1 - Trivial	4 - Likely	4 - Low Priority action

Notes

Assessor/Reviewer Name	Job Title	Signature	Date	Review Date
Simon Baldwin	Site Director		01/01/ 2019	01/01/2020

RISK ASSESSMENTS: MOBILE EQUIPMENT
The Warehouse Climbing Centre - Mobile



Reason for Assessment	Area(s) Assessed	Assessment No.
Reassessment	DigiWall / Cave	6

Hazard Description

Trip Hazard on Mats

Hazard Category(ies)	Risk Groups
Fractures / Cuts / Bruises	Employees & Customers

Risk Assessment (without control measures)

Frequency	Severity	Probability	Initial Risk Rating
Constant	2 - Minor	5 - Almost Certain	10 - Medium Priority action

Existing Controls

<p>Bags are not allowed on Mats. Chairs and other obstacles are not allowed on mats. Only Staff and those participating are allowed on mats. Mats are inspected and maintained or replaced if defective. Mats are coloured to make them more apparent to the eye.</p>

Further Controls	Deadline

Risk Assessment (taking control measures into account)

Frequency	Severity	Probability	Residual Risk Rating
Constant	2 - Minor	2 - Unlikely	4 - Low Priority action

Notes

--



Assessor/Reviewer Name	Job Title	Signature	Date	Review Date
Simon Baldwin	Site Director		01/01/ 2019	01/01/2020

RISK ASSESSMENTS: MOBILE EQUIPMENT
The Warehouse Climbing Centre - Mobile



Reason for Assessment	Area(s) Assessed	Assessment No.
Reassessment	DigiWall	7

Hazard Description

Fall/Jump and landing badly/collision with a falling person

Hazard Category(ies)	Risk Groups
Fractures / Cuts / Bruises	Employees & Customers

Risk Assessment (without control measures)

Frequency	Severity	Probability	Initial Risk Rating
Constant	3 - Moderate	4 - Likely	12 - Medium Priority action

Existing Controls

Foam floor / Crash mats fitted, to reduce impact.
 Safety briefing given before sessions.
 Participants are instructed to climb down.
 Participants are instructed not to enter the fall zone of someone who is climbing.
 All sessions are supervised by trained staff.

Further Controls	Deadline

Risk Assessment (taking control measures into account)

Frequency	Severity	Probability	Residual Risk Rating
Constant	3 - Moderate	2 - Unlikely	6 - Medium Priority action

Notes

Assessor/Reviewer Name	Job Title	Signature	Date	Review Date
Simon Baldwin	Site Director		01/01/ 2019	01/01/2020

RISK ASSESSMENTS: MOBILE EQUIPMENT
The Warehouse Climbing Centre - Mobile



Reason for Assessment	Area(s) Assessed	Assessment No.
Reassessment	DigiWall / Walls / Cave	8

Hazard Description

Hot Weather

Hazard Category(ies)

Risk Groups

Dehydration/Sunstroke	Employees
-----------------------	-----------

Risk Assessment (without control measures)

Frequency Constant	Severity 3 - Moderate	Probability 4 - Likely	Initial Risk Rating 12 - Medium Priority action
------------------------------	---------------------------------	----------------------------------	---

Existing Controls

<p>Equipment to be set up in the shade where possible. Events must fulfil legal obligation to provide supplies of drinking water. Senior member of staff will ensure that water bottles are topped up as required through the day. Hot weather procedure set.</p>
--

Further Controls

Deadline

<p>Provide caps to shade staff. Provide water bottles for staff?</p>	<p>June 2019</p>
---	------------------

Risk Assessment (taking control measures into account)

Frequency Constant	Severity 1- Minor	Probability 2- Unlikely	Residual Risk Rating 2- Low Priority action
------------------------------	-----------------------------	-----------------------------------	---

Notes

--

Assessor/Reviewer Name	Job Title	Signature	Date	Review Date
Simon Baldwin	Site Director		01/01/ 2019	01/01/2020

RISK ASSESSMENTS: MOBILE EQUIPMENT
The Warehouse Climbing Centre - Mobile



Reason for Assessment	Area(s) Assessed	Assessment No.
New Assessment	Walls	9

Hazard Description

Falling

Hazard Category(ies)

Risk Groups

Fracture / Break/ Serious Injuries	Employees & Customers
------------------------------------	-----------------------

Risk Assessment (without control measures)

Frequency Constant	Severity 3 - Moderate	Probability 4 - Likely	Initial Risk Rating 12 - Medium Priority action
------------------------------	---------------------------------	----------------------------------	---

Existing Controls

<p>No Free Climbing allowed. Climbers are instructed by staff on the correct method for descent. Auto Belay System maintained in accordance with applicable legislation and best practice. If a Manual Belay system is used, then;</p> <ol style="list-style-type: none"> 1. Instruction must be by a Climbing Instructor recognised by The Warehouse as competent to instruct Top Rope Belay. 2. Instruction must be in accordance with The Warehouse top rope guidelines and are covered by Indoor Climbing Risk Assessments.
--

Further Controls

Deadline

--	--

Risk Assessment (taking control measures into account)

Frequency Constant	Severity 3 - Moderate	Probability 2 - Unlikely	Residual Risk Rating 6 - Medium Priority action
------------------------------	---------------------------------	------------------------------------	---

Notes

--



Assessor/Reviewer Name	Job Title	Signature	Date	Review Date
Simon Baldwin	Site Director		01/01/ 2019	01/01/2020

RISK ASSESSMENTS: MOBILE EQUIPMENT
The Warehouse Climbing Centre - Mobile



Reason for Assessment	Area(s) Assessed	Assessment No.
New Assessment	Walls	10

Hazard Description

Being Fallen on, person or objects dropped

Hazard Category(ies)	Risk Groups
Fractures / Bruises	Employees & Customers

Risk Assessment (without control measures)

Frequency	Severity	Probability	Initial Risk Rating
Constant	3 - Moderate	4 - Likely	12 - Medium Priority action

Existing Controls

Landing zone is marked off below the wall, aside from the Instructor only those partaking. Climbers are asked to secure any loose shoes and remove heavy objects from open pockets [mobile phones, keys etc].

Further Controls	Deadline
Investigate whether suitable double tape - barriers can be sourced to replace old style as and when replacements are needed.	June 2018

Risk Assessment (taking control measures into account)

Frequency	Severity	Probability	Residual Risk Rating
Constant	2 - Minor	3 - Fair	6 - Medium Priority action

Notes

Assessor/Reviewer Name	Job Title	Signature	Date	Review Date
Simon Baldwin	Site Director		01/01/ 2019	01/01/2020

RISK ASSESSMENTS: MOBILE EQUIPMENT

The Warehouse Climbing Centre - Mobile



Reason for Assessment	Area(s) Assessed	Assessment No.
New Assessment	Walls / Digiwall	11

Hazard Description

Holds falling / Breaking

Hazard Category(ies)

Hazard Category(ies)	Risk Groups
Fractures / Bruises	Employees & Customers

Risk Assessment (without control measures)

Frequency	Severity	Probability	Initial Risk Rating
Constant	3 - Moderate	3 - Fair	9 - Medium Priority action

Existing Controls

Hold and wall checks before each use, in line with guidelines described in our operating procedure.

Further Controls

Further Controls	Deadline

Risk Assessment (taking control measures into account)

Frequency	Severity	Probability	Residual Risk Rating
Constant	3 - Moderate	1 - Remote	3- Low Priority action

Notes

--

Assessor/Reviewer Name	Job Title	Signature	Date	Review Date
Simon Baldwin	Site Director		01/01/ 2019	01/01/2020

RISK ASSESSMENTS: MOBILE EQUIPMENT

The Warehouse Climbing Centre - Mobile



Reason for Assessment	Area(s) Assessed	Assessment No.
New Assessment	Walls	12

Hazard Description

Auto Belay Failure

Hazard Category(ies)

Risk Groups

Fractures / Bruises	Employees & Customers
---------------------	-----------------------

Risk Assessment (without control measures)

Frequency	Severity	Probability	Initial Risk Rating
Constant	4 - Severe	3 - Fair	12 - Medium Priority action

Existing Controls

Daily inspections by trained staff are carried out each day prior to use. Full thorough inspections are carried out every month by the technical team. Yearly inspections are carried out by an external body (ADIPS inspection).

Further Controls

Deadline

--	--

Risk Assessment (taking control measures into account)

Frequency	Severity	Probability	Residual Risk Rating
Constant	4 - Severe	1 - Remote	4 - Low Priority action

Notes

--

Assessor/Reviewer Name	Job Title	Signature	Date	Review Date
Simon Baldwin	Site Director		01/01/ 2019	01/01/2020

RISK ASSESSMENTS: MOBILE EQUIPMENT

The Warehouse Climbing Centre - Mobile



Reason for Assessment	Area(s) Assessed	Assessment No.
New Assessment	Walls	13

Hazard Description

Climber landing on trailer or barriers
--

Hazard Category(ies)	Risk Groups
Fractures / Bruises	Employees & Customers

Risk Assessment (without control measures)

Frequency	Severity	Probability	Initial Risk Rating
Constant	2- Minor	2 - Unlikely	4 - Low Priority action

Existing Controls

Climbers are instructed on how to descend in a controlled manner. Padding is placed over the stabilising legs. Barriers are placed 2.4m from the wall face.

Further Controls	Deadline

Risk Assessment (taking control measures into account)

Frequency	Severity	Probability	Residual Risk Rating
Constant	2- Minor	1 - Remote	2- Low Priority action

Notes

--

Assessor/Reviewer Name	Job Title	Signature	Date	Review Date
Simon Baldwin	Site Director		01/01/ 2019	01/01/2020

RISK ASSESSMENTS: MOBILE EQUIPMENT

The Warehouse Climbing Centre - Mobile



Reason for Assessment	Area(s) Assessed	Assessment No.
New Assessment	Walls / Digiwall	14

Hazard Description

Head Injuries, through contact with floor or wall

Hazard Category(ies)

Hazard Category(ies)	Risk Groups
Fractures /Bruises	Employees & Customers

Risk Assessment (without control measures)

Frequency	Severity	Probability	Initial Risk Rating
Constant	3 - Moderate	2 - Unlikely	6 - Medium priority action

Existing Controls

Climbers are instructed on how to descend in a safe, controlled manner. Climbers are constantly monitored by staff to ensure instructions are followed.
--

Further Controls

Further Controls	Deadline

Risk Assessment (taking control measures into account)

Frequency	Severity	Probability	Residual Risk Rating
Constant	2 - Minor	2 - Unlikely	4 - Low Priority action

Notes

--

Assessor/Reviewer Name	Job Title	Signature	Date	Review Date
Simon Baldwin	Site Director		01/01/ 2019	01/01/2020



RISK ASSESSMENTS: MOBILE EQUIPMENT

The Warehouse Climbing Centre - Mobile

Reason for Assessment	Area(s) Assessed	Assessment No.
New Assessment	Walls / DigiWall	15

Hazard Description

Climber getting caught on holds (clothing/hoods/helmets/ Jewellery)

Hazard Category(ies)	Risk Groups
Strangulation Death	Employees & Customers

Risk Assessment (without control measures)

Frequency	Severity	Probability	Initial Risk Rating
Constant	4 - Severe	3 - Fair	12 - Medium Priority action

Existing Controls

No helmets are to be worn when using the climbing wall with an auto belay system.
Staff are trained to ensure the following;

- All hooded clothing must be removed or tucked in and loose-fitting clothes to be secured or removed to prevent clothing becoming caught.
- Necklaces must be tucked in or removed, large earrings (especially hoops) should be removed, rings should be removed.
- Climbers are briefed on the correct method of descent.

Further Controls

Further Controls	Deadline

Risk Assessment (taking control measures into account)

Frequency	Severity	Probability	Residual Risk Rating
Constant	2 - Minor	1 - Remote	2 - Low Priority action

Notes

Assessor/Reviewer Name	Job Title	Signature	Date	Review Date
Simon Baldwin	Site Director		01/01/ 2019	01/01/2020

RISK ASSESSMENTS: MOBILE EQUIPMENT

The Warehouse Climbing Centre - Mobile



Reason for Assessment	Area(s) Assessed	Assessment No.
New Assessment	Walls / Digiwall	16

Hazard Description

Structural failure of wall

Hazard Category(ies)

Hazard Category(ies)	Risk Groups
Fractures /Bruises	Employees & Customers

Risk Assessment (without control measures)

Frequency	Severity	Probability	Initial Risk Rating
Constant	4 - Severe	2 - Unlikely	8- Medium priority action

Existing Controls

<p>Visual checks are carried out prior to use. Full thorough detailed inspection of joints and weld points carried out each month. NDT testing of wall by external inspectors carried out each year.</p>
--

Further Controls

Further Controls	Deadline

Risk Assessment (taking control measures into account)

Frequency	Severity	Probability	Residual Risk Rating
Constant	4 - Severe	1 - Remote	4 - Low Priority action

Notes

--

Assessor/Reviewer Name	Job Title	Signature	Date	Review Date
Simon Baldwin	Site Director		01/01/ 2019	01/01/2020

RISK ASSESSMENTS: MOBILE EQUIPMENT

The Warehouse Climbing Centre - Mobile



Reason for Assessment	Area(s) Assessed	Assessment No.
New Assessment	Walls	17

Hazard Description

Failure of equipment (Maillon / Karabiner / Swivels / Harnesses / Cable)
--

Hazard Category(ies)

Hazard Category(ies)	Risk Groups
Fractures /Bruises	Employees & Customers

Risk Assessment (without control measures)

Frequency	Severity	Probability	Initial Risk Rating
Constant	4 - Severe	2 - Unlikely	12 - Medium priority action

Existing Controls

<p>All equipment is appropriate for use. All equipment is inspected prior to use. Full Thorough Inspections are carried out a minimum of every 3 months (or more frequently if required). All equipment is repaired or replaced as when required. All equipment is inspected by an external body each year.</p>

Further Controls

Further Controls	Deadline

Risk Assessment (taking control measures into account)

Frequency	Severity	Probability	Residual Risk Rating
Constant	2 - Minor	1 - Remote	2 - Low Priority action

Notes

--

Assessor/Reviewer Name	Job Title	Signature	Date	Review Date
Simon Baldwin	Site Director		01/01/ 2019	01/01/2020

RISK ASSESSMENTS: MOBILE EQUIPMENT

The Warehouse Climbing Centre - Mobile



Reason for Assessment	Area(s) Assessed	Assessment No.
New Assessment	Walls	18

Hazard Description

Incorrect use of equipment: Incorrectly fitted harnesses/ Incorrectly attached karabiner

Hazard Category(ies)

Hazard Category(ies)	Risk Groups
Fractures /Bruises	Employees & Customers

Risk Assessment (without control measures)

Frequency	Severity	Probability	Initial Risk Rating
Constant	4 - Severe	2 - Unlikely	12 - Medium Priority action

Existing Controls

Staff are fully trained in the use of the equipment.
 Harnesses are fitted by a trained member of staff and then a final check is carried out by the member of staff supervising the climbing.
 Final “squeeze“ test on karabiner carried out before climbing.

Further Controls

Further Controls	Deadline

Risk Assessment (taking control measures into account)

Frequency	Severity	Probability	Residual Risk Rating
Constant	2 - Minor	1 - Remote	2 - Low Priority action

Notes

Assessor/Reviewer Name	Job Title	Signature	Date	Review Date
Simon Baldwin	Site Director		01/01/ 2019	01/01/2020

RISK ASSESSMENTS: MOBILE EQUIPMENT

The Warehouse Climbing Centre - Mobile



Reason for Assessment	Area(s) Assessed	Assessment No.
New Assessment	Walls / DigiWall	19

Hazard Description

Unauthorised/ unsupervised access to wall

Hazard Category(ies)

Risk Groups

Fractures /Bruises/ Serious Injury	Public
------------------------------------	--------

Risk Assessment (without control measures)

Frequency Constant	Severity 3 - Moderate	Probability 3- Fair	Initial Risk Rating 9 - Medium priority action
-----------------------	--------------------------	------------------------	---

Existing Controls

Remote control is unplugged and placed in a secure location. One member of staff will always remain with wall at a live event or alternate supervision will be arranged (e.g. teacher at school lunchtime or room locked). Wall is lowered, with barriers put in position if left overnight

Further Controls

Deadline

--	--

Risk Assessment (taking control measures into account)

Frequency Constant	Severity 3 - Moderate	Probability 1 - Remote	Residual Risk Rating 3- Low Priority action
-----------------------	--------------------------	---------------------------	--

Notes

--

Assessor/Reviewer Name	Job Title	Signature	Date	Review Date
Simon Baldwin	Site Director		01/01/ 2019	01/01/2020

RISK ASSESSMENTS: MOBILE EQUIPMENT

The Warehouse Climbing Centre - Mobile



Reason for Assessment	Area(s) Assessed	Assessment No.
New Assessment	Walls	20

Hazard Description

Weather: Rain - causing slips/poor visibility

Hazard Category(ies)

Risk Groups

Fractures / Bruises	Employees & Customers
---------------------	-----------------------

Risk Assessment (without control measures)

Frequency	Severity	Probability	Initial Risk Rating
Constant	3 - Moderate	3 - Fair	9 - Medium priority action

Existing Controls

<p>Climbers are instructed to take extra care while ascending and descending. Climbers are instructed on how to descend in a safe, controlled manner. Climbers are constantly monitored by staff to ensure instructions are followed.</p> <p>If rain reaches an intensity where staff can no longer monitor the wall reliably (ie. vision obscured by rain), the equipment risks becoming too slippery to handle or staff feel that they and/or the climbers are at potential risk then climbing must cease.</p>
--

Further Controls

Deadline

--	--

Risk Assessment (taking control measures into account)

Frequency	Severity	Probability	Residual Risk Rating
Constant	3 - Moderate	1 - Remote	3 - Low Priority action

Notes

--

Assessor/Reviewer Name	Job Title	Signature	Date	Review Date
Simon Baldwin	Site Director		01/01/ 2019	01/01/2020

RISK ASSESSMENTS: MOBILE EQUIPMENT

The Warehouse Climbing Centre - Mobile



Reason for Assessment	Area(s) Assessed	Assessment No.
New Assessment	Walls	21

Hazard Description

Weather: Danger due to high winds [wall falling]
--

Hazard Category(ies)

Risk Groups

Fractures / Bruises	Employees & Customers
---------------------	-----------------------

Risk Assessment (without control measures)

Frequency Constant	Severity 4 - Severe	Probability 2 - Unlikely	Initial Risk Rating 8 - Medium priority action
-----------------------	------------------------	-----------------------------	---

Existing Controls

<p>The wind speed is checked before use and if a noticeable change in the weather occurs then it is checked again. The wall can only be operated in wind speeds of less than 25mph. The surface the wall is erected on must be sound and level with a gradient of no more than 5cm in a 2m length.</p>
--

Further Controls

Deadline

Ensure each wall is equipped with an anemometer for each trip	May 2019 for all walls
---	------------------------

Risk Assessment (taking control measures into account)

Frequency Constant	Severity 4 - Severe	Probability 1 - Remote	Residual Risk Rating 4 - Low Priority action
-----------------------	------------------------	---------------------------	---

Notes

--

Assessor/Reviewer Name	Job Title	Signature	Date	Review Date
Simon Baldwin	Site Director		01/01/ 2019	01/01/2020

RISK ASSESSMENTS: MOBILE EQUIPMENT
The Warehouse Climbing Centre - Mobile



Reason for Assessment	Area(s) Assessed	Assessment No.
New Assessment	Walls	22

Hazard Description

Weather: Danger due to Lightning

Hazard Category(ies)	Risk Groups
Fractures /Bruises	Employees & Customers

Risk Assessment (without control measures)

Frequency	Severity	Probability	Initial Risk Rating
Constant	4 - Severe	2 - Unlikely	8 - Medium priority action

Existing Controls

If thunder is heard or lightning is visible (whichever is seen/heard first) climbing must cease and all staff and customers must move away from the climbing tower (at least 12 meters). Climbing can be resumed 25 minutes after the last clap of thunder or visible lightning (whichever occurs last).

Further Controls	Deadline

Risk Assessment (taking control measures into account)

Frequency	Severity	Probability	Residual Risk Rating
Constant	4 - Severe	1 - Remote	4 - Low Priority action

Notes

--

Assessor/Reviewer Name	Job Title	Signature	Date	Review Date
Simon Baldwin	Site Director		01/01/ 2019	01/01/2020

RISK ASSESSMENTS: MOBILE EQUIPMENT

The Warehouse Climbing Centre - Mobile



Reason for Assessment	Area(s) Assessed	Assessment No.
New Assessment	Walls	23

Hazard Description

Towing/ Setup: Injury Siting the wall

Hazard Category(ies)

Hazard Category(ies)	Risk Groups
Fractures /Bruises	Employees & Customers

Risk Assessment (without control measures)

Frequency	Severity	Probability	Initial Risk Rating
Constant	3 - Moderate	2 - Unlikely	6 - Medium priority action

Existing Controls

<p>Only competent staff approved by the company are allowed to drive vehicles and trailers. Staff are trained to ensure vehicles are hitched correctly. Pre-drive vehicle and trailer checks are carried out on according to procedure. Vehicles and trailers are driven onsite carefully, site speed limits will not be exceeded. Trailer is only positioned when safe to do so, location is clear of public and /or obstructions. Second staff member to act as banksmen or venue to provide staff to control area if single staffed.</p>
--

Further Controls

Further Controls	Deadline

Risk Assessment (taking control measures into account)

Frequency	Severity	Probability	Residual Risk Rating
Constant	2 - Minor	2 - Unlikely	4 - Low Priority action

Notes

--

Assessor/Reviewer Name	Job Title	Signature	Date	Review Date
Simon Baldwin	Site Director		01/01/ 2019	01/01/2020

RISK ASSESSMENTS: MOBILE EQUIPMENT
The Warehouse Climbing Centre - Mobile



Reason for Assessment	Area(s) Assessed	Assessment No.
New Assessment	Walls	24

Hazard Description

Towing / Setup: Injury during setup / raising and lowering of the wall

Hazard Category(ies)	Risk Groups
Fractures /Bruises/ serious injury	Employees & Customers

Risk Assessment (without control measures)

Frequency	Severity	Probability	Initial Risk Rating
Constant	4 - Severe	3 - Fair	12 - Medium priority action

Existing Controls

Area around wall is carefully supervised by staff.
 Wall is made ready following the setup procedures according to manufacturer’s guidelines.
 All supervising staff are trained in the setup procedure and have passed assessment in the setup of the wall.

Before wall is raised;

- Overhead area is checked for obstructions.
- Wind speed is checked.

Further Controls	Deadline

Risk Assessment (taking control measures into account)

Frequency	Severity	Probability	Residual Risk Rating
Constant	2 - Minor	1 - Remote	2- Low Priority action

Notes

Assessor/Reviewer Name	Job Title	Signature	Date	Review Date
Simon Baldwin	Site Director		01/01/ 2019	01/01/2020